

**Re:**

**Bob Benson** to: Bill Brattin

06/14/2012 07:33 PM

From: Bob Benson/R8/USEPA/US

To:

---

See my spreadsheet for the correction for ore source before IH data were available. UC used a ratio of 10:1 (Libby:sc) and the %Libby ore versus SC ore by year from shipping records.

-----"Brattin, Bill" <brattin@srcinc.com> wrote: -----

To: Bob Benson/R8/USEPA/US@EPA

From: "Brattin, Bill" <brattin@srcinc.com>

Date: 06/14/2012 03:04PM

Cc: David Berry/R8/USEPA/US@EPA

Subject: (Untitled)

Bob

I am working to model the IH data from Marysville.

For the period prior to 1972, values are estimated.

This includes an adjustment to account for the percent of vermiculite from Libby and from South Carolina.

Appendix F does not explain this well enough for me to understand how this adjustment was done.

Can you provide me a summary of your understanding of this adjustment?

In particular, what is known or assumed about the asbestos content of SC vermiculite?

\*\*\*\*\*

Bill Brattin

SRC, Inc.

999 18th Street Suite 1150

Denver CO 80202

Phone: 303-357-3121

Fax: 303-292-4755

e-mail: brattin@srcinc.com<mailto:brattin@syrres.com>

[attachment "winmail.dat" removed by Bob Benson/R8/USEPA/US]